TOSHIBA

€-STUDIO 2525 AC
€-STUDIO 3025 AC
€-STUDIO 3525 AC
€-STUDIO 4525 AC
€-STUDIO 5525 AC
€-STUDIO 6525 AC

Colour Multifunctional Printers

- Multifunctional A3 colour systems with outstanding document output at a speed of up to 65 pages per minute
- Large and fully customisable user interface for enhanced efficiency and tailored workflows
- Easy integration into any environment, including cloud and mobile printing for full flexibility





Cloud-ready and Secure

Today's new hybrid work environment has permanently changed demands on access to information: it must be available anywhere and at anytime. Only then can an organisation maintain maximum efficiency and productivity. Yet information also needs to be secure.

Toshiba's cloud-ready products, combined with the support from our team of experts, provide the solutions you need to improve workflow and print with functionalities that are smarter and more convenient than ever before. We have implemented new features to increase productivity in line with the needs of hybrid workplaces. The e-STUDIO6525Ac series is equipped with functionalities that enable non-contact, non-face-to-face, and remote work.

Based on the latest technological advances and security standards, we deliver end-to-end tailored solutions to help you seamlessly and securely navigate today's digital workplace. In addition, our multifunctional print (MFP) systems meet the highest environmental requirements. From consulting, cloud migration and fleet management, to implementation and technical support, Toshiba is at your side.

Show your true colours: sharp, vibrant images in all hues can make your documents more beautiful and engaging. Toshiba's e-STUDIO6525AC series delivers image quality that stands out. In addition, the multifunctional systems are equipped with advanced features that meet the most exacting needs of today's and tomorrow's workplaces.

- Advanced Toshiba e-BRIDGE Next technology for easy customisation of document workflows and integration into any environment
- High-quality output with a resolution of up to 1,200 x 1,200 dpi
- Colour consistency across small and large print jobs



Smart and Smooth

The systems feature an intuitive 10.1 inch (26 cm) tablet-style touch screen with an embedded web browser. It is easy to use and is fully customisable, allowing you to conveniently tailor settings, automate workflows and integrate third-party solutions. In line with the bold look and feel of this e-STUDIO series, the user interface enables simple operation and improved efficiency.



Efficiency Your Way

Workgroups within small and medium-sized enterprises (SMEs) benefit from the easy integration of the e-STUDIO6525Ac series into existing IT infrastructures and workflows. The systems are fully customisable and offer readily accessible solutions thanks to open platform architecture.

All Toshiba e-BRIDGE Next systems are capable of cloud and mobile printing. AirPrint and Mopria Print Services support the printing needs of mobile device users, while Wi-Fi Direct and the support for two separate networks, simplifies access to the MFPs. Toshiba's exclusive e-BRIDGE Print & Capture application enables additional printing features, and gives users the ability to scan documents back to their tablets or smartphones.

The e-STUDIO6525Ac series can be equipped with apps to further enhance efficiency. When the apps are combined with our embedded optical character recognition (OCR) feature, documents can be scanned as Microsoft Word and other popular office formats.

Cloud solution apps

- e-BRIDGE Plus for Box
- e-BRIDGE Plus for Dropbox[™]
- e-BRIDGE Plus for Google Drive[™]
- e-BRIDGE Plus for Google Workspace[™] Google Drive[™]
- e-BRIDGE Plus for Gmail™
- e-BRIDGE Plus for OneDrive®
- e-BRIDGE Plus for OneDrive® for Business
- e-BRIDGE Plus for SharePoint® Online
- e-BRIDGE Plus for Exchange Online
- e-BRIDGE Plus for Universal Print

Workflow solution apps

- e-BRIDGE Plus for Barcode Scan
- e-BRIDGE Plus for USB Storage
- e-BRIDGE Plus for Green Information
- e-BRIDGE Plus for Zone OCR
- e-BRIDGE Plus for ID Card
- e-BRIDGE Plus for Voice Guidance

Your partner in sustainability

Sustainability is a major topic for Toshiba and our customers. We make every effort to minimise the impact of our business on the environment, to conserve and protect the world's natural resources. This applies to every business process and product, including providing solutions that make our customers' operations more sustainable. Accordingly, the MFPs in the e-STUDIO6525AC series have also been equipped with a number of environmentally friendly features:

- Low-power, super sleep mode to reduce energy consumption and lower cost
- Compliance with the latest, most stringent environmental requirements
- Use of recycled plastics
- The e-BRIDGE Plus for Green Information app, which displays environmental achievements directly on the MFP, encourages the use of eco-friendly settings

Security meets convenience

As a leading provider of information technology, Toshiba has always placed top priority on protecting data. The e-STUDIO6525AC series come with robust security features, such as anti-malware function, secure Solid State Drive (SSD) and Trusted Platform Module (TPM) with encryption function. Optionally, you can choose the FIPS HDD* with data overwrite function and HCD-PP ** certification. The systems are fully compliant with the EU General Data Protection Regulation (GDPR). Deploy all the security technologies offered to ensure your data is protected when using the MFP.

- * Federal Information Processing Standards Hard Disc Drive
- $^{\star\star} \; \mathsf{Hard} \, \mathsf{Copy} \, \mathsf{Device} \, \mathsf{-} \, \mathsf{Protection} \, \mathsf{Profile} \, \mathsf{certification}$



Enhanced Performance and Functionality

Toshiba's e-STUDIO6525Ac series offers a wide spectrum of functionalities. The multifunctional units enable you to integrate and simplify your workflows while improving efficiency.

Auto calibration ensures perfect image quality with consistent colours and crystal-clear lines from the first to the last page.

Image recovery menu helps by providing easy guidance (including a movie) for users, within minutes.

RGB colour substitution gives you accurate colours with office applications so your documents are printed exactly the way you want.

Multi Station Print solution allows you to send print jobs from your desktop and retrieve them at up to 50 different MFPs by authenticating at a device of choice, e.g. by simply swiping your badge.

Interrupt print is one of the new convenient functions to make your day-to-day tasks more efficient. Jump the queue for first priority prints.

Embedded Optical Character Recognition (OCR) simplifies the creation of searchable PDFs and editable document formats such as Microsoft Word.

Scan to USB is great for working with documents on the go. You can even create PDF/A-2 files suitable for long-term archiving.

Scan and fax preview allows you to review, rotate and modify your scanned documents or incoming faxes before saving or printing them.

Barcode printing lets you send print data from your ERP system directly to the MFP. The barcode sequence is automatically processed and printed with no need for additional middleware.


Print from USB for quick and easy printouts. If required, the MFP will automatically scale your documents to fit the available paper size

E-mail direct printing can automatically print the attached documents on e-mails that are sent to the MFP.

Remote assistance and diagnostics fit seamlessly into today's working styles and help keep your business running when technical difficulties or uncertainties occur.



Configuration



- * For e-STUDIO2525AC/3025AC/3525AC/4525AC
- ** Not in combination with External LCF

Highlights

Mobile printing

Easily connect to these systems with your mobile devices via AirPrint, or the Mopria Print Service. Plus, you can unlock additional mobile print and scan features by adding the optional Wi-Fi module.

Choose your user experience

The large and fully customisable user interface makes the MFP intuitive to use. Simply swipe through the menu and select the feature or function you need and modify the screen to suit your individual preferences.

Dual Scan Document Feeder (DSDF) and Double Feed Detection

The DSDF option can hold up to 300 original documents and processes 240 images per minute (ipm) by scanning both sides of the page in a single pass. With the addition of Double Feed Detection, you can ensure that no pages are missing after scanning.

Specifications

General

Print & Copy Speed A4: 25/30/35/45/55/65 ppm A3: 15/16/18/22/27/30 ppm

~ 12 seconds from low power mode⁽¹⁾ Warm-up Time ~ 20 seconds from low power mode⁽²⁾

Paper Size & Weight Cassette 1: A5R-A3, 60-300 gsm

Cassete 2: A5R-320 x 460 mm, 60-300 gsm Bypass: 100 x 148 mm-320 x 460 mm, 52-300 gsm, banner paper (up to 305 x 1,200 mm, 90-163 gsm)

Paper Capacity

Cassettes: 2x 550 sheets Bypass: 1x 100 sheets Max. 5,200 sheets

Inner Output Tray 400-sheet capacity

Automatic Duplex A5R-305 x 457 mm, 60-256 gsm

Controller Type Toshiba e-BRIDGE Next

Control Panel 10.1 inches (26 cm) Multi-Touch Colour Panel

Security SSD 128 GB $^{(3)}$; 4 GB RAM $^{(1)}$ Security SSD 128 GB $^{(3)}$; 6 GB RAM $^{(2)}$ Storage & Memory

Interface 10Base-T/100Base-TX/1000Base-T, High Speed

USB 2.0, WLAN* (IEEE802.11b/g/n), Bluetooth*,

Wi-Fi Direct*

Dimension & Weight For e-STUDIO2525AC/3025AC/3525AC:

585 x 641 x 787 mm (W x D x H), ~77 kg For e-STUDIO4525AC 585 x 641 x 787 mm (W x D x H), ~78 kg For e-STUDIO5525AC/6525AC

585 x 641 x 787 mm (W x D x H), ~79 kg

Initial Consumables Toner Drums

Developers Waste Toner Box

Print

Resolution

600 x 600 dpi, 5 bit, 1,200 x 1,200 dpi, 2 bit (equiv. 3,600 x 1,200 dpi) with PostScript driver only

Page Description Language

PCL5e, PCL5c, PCL6 (PCL XL), XPS, PDF and PS3,

JPEG

Windows 11/10/8.1, Windows Server 2022/2019/2016/2012 R2/2012 (64 bit), Mac OS Supported Systems

10.12-12, Linux/Unix, Citrix, SAP, AS/400

Network Protocols TCP/IP (IPv4/IPv6), NetBios over TCP/IP

Colour Modes Auto-Colour (ACS), Colour, TWIN Colour,

Colour Settings ICC profile colour management, RGB substitution,

Brightness, Saturation, Contrast, Colour Balance

e-BRIDGE Print & Capture, Mopria® Print Service, AirPrint on iOS or macOS® **Mobile Printing**

Print Functions Universal Printer Driver, Driver Templates, Driver

plug-ins*, Print from USB, Hold Print, Tandem Printing, E-Mail direct printing

Scan

Resolution Max. 600 x 600 dpi

Reversing Automatic Document Feeder*: Scan Speed

up to 73 ppm (300 dpi) in colour and monochrome Dual Scan Document Feeder*:

up to 240ppm (300dpi) in colour and monochrome

Scan Modes Auto-Colour (ACS), Colour, Greyscale, Monochrome

 $\label{eq:JPEG_Multi/Single Page TIFF/XPS/PDF, Secure PDF, Slim PDF, PDF/A, PDF/A-2, Searchable PDF (and other formats like DOCX, XLSX)$ File Formats

Scan Functions WS Scan, Scan to USB, Scan to E-Mail, Scan to File (SMB, FTP, FTPS, Local), Meta Scan*, OCR scan, Scan to Box (e-Filing), WIA, TWAIN

Copy

Scan: 600 x 600 dpi Resolution

Print: 600 x 600 dpi, 5 bit, equiv. 2,400 x 600 dpi with smoothing (monochrome only)

First Copy Output Time Colour: ~7.8/7.8/5.7/5.6/5.6 seconds Monochrome: ~5.9/5.9/5.9/4.4/4.3/4.3 seconds

Zoom Platen*: 25-400%, RADF*/DSDF*: 25-200%

Text, Tex/Photo, Photo, Printed Image, Map, Image Copy Modes

Smoothing

Colour Modes Auto-Colour (ACS), Full Colour, Twin Colour,

Mono Colour, Monochrome

Colour Settings Hue, Saturation, Colour Balance, RGB adjustment,

5 one-touch modes

Copy Functions Electronic Sort, Rotate Sort, ID Card Copy, Edge

Erase, 2-in-1/4-in-1 mode

Fax*

Super G3, G3 - (opt. 2nd line) Internet Fax T.37 Communication

Transmission Speed ~3 seconds per page Compression JBIG, MMR, MR, MH

Fax Memory 1 GB Transmission/Reception

Driver for Windows 11/10/8.1. Windows Server Network-Fax 2022/2019/2016/Server 2012 R2/Server 2012 (64bit)

Incoming Fax Routing To shared folders (SMB, FTP), E-Mail, e-Filing

System & Security

Device Management

Top Access for remote administration and

configuration

System Features

e-Filing document server for secure storage. Document distribution and Print-on-Demand (on public box, 200 user boxes), over 1.2 million one-touch templates for storage of personalised settings and workflows, Scan/Fax Preview, Rip-while-Print, e-BRIDGE Open Platform, Embedded Web Browser, Job Skip, PCL Barcode printing, e-BRIDGE Plus embedded apps

Accounting & Security

 $Role\,Based\,Access, LDAP\,support, 1,000\,department$ & 10,000 user codes, Card Reader*), Private Print, Standard data encryption with Security SSD, Data Overwrite function when optional HDD is chosen, IP and MAC address filter, Port Filter, Support of SSL and IPsec* protocols, IEEE802.1 x support, CC certified (ISO/IEC15408) with HCD-PP v1.0*, Scan to Secure PDF, Pull-printing'

Options

REVERSING AUTOMATIC DOCUMENT FEEDER

100-sheet capacity, A5R-A3, 35-157 gsm

DUAL SCAN DOCUMENT

FEEDER

DUAL SCAN DOCUMENT FEEDER WITH DOUBLE FEED

DETECTION

PAPER FEED PEDESTAL

DRAWER MODULE

A5R-320 x 460 mm, 60-300 gsm

2,000 sheets, A4, 60-300 gsm

FNVFI OPF DRAWER

Paper: 550-sheet capacity, A5R-A4R, 60-300 gsm

LARGE CAPACITY FEEDER

EXTERNAL LARGE CAPACITY

INNER FINISHER 50-sheet multi-position stapling A4R-A3, 60-105 gsm (stapling mode)

MULTI-STAPLE FINISHER

2 trays, 2,250-sheet capacity 65-sheet multi-position stapling A4R-A3, 60-105 gsm (stapling mode)

SADDLE STITCH FINISHER

Saddle-stitched booklets of up to 60 pages 65-sheet multi-position stapling A4R-A3, 60-105 gsm (stapling mode)

HOLE PUNCH UNIT

300-sheet capacity, A5R-A3, 35-209 gsm

300-sheet capacity, A5R-A3, 35-209 gsm

550-sheet capacity (1 Cassette) A5R-320 x 460 mm, 60-300 gsm

For Paper Feed Pedestal

550-sheet capacity (1 Cassette)

For Paper Feed Pedestal or 2nd Cassette Envelopes: 50-envelope capacity (1 Cassette) 100 x 162mm - 240 x 380 mm, 60-85 gsm

2,000 sheets, A4, 60-300 gsm

2 trays, 600-sheet capacity

2 trays, 3,250-sheet capacity

Available in 2 holes (E), 4 holes (F)

PLATEN COVER

DESK

HARD DISK DRIVE 320 GB(3) (FIPS 140-2 STANDARD)

SECURITY SOLID STATE DRIVE 512 GB(3)

JOB SEPARATOR WORKTRAY **FAX BOARD** USBHUB

ACCESSORY TRAY PANEL TEN-KEY

WIRELESS LAN/BLUETOOTH MODULE (incl. Wi-Fi Direct)

e-BRIDGE ID-GATE **ACCESSIBLE ARM** 2ND NIC HOLDER

IPsec ENABLER (LICENCE)

MULTI STATION PRINT ENABLER (LICENCE)

META SCAN ENABLER (LICENCE) UNICODE FONT ENABLER (LICENCE) HARD COPY SECURITY KIT (LICENCE)













⁽¹⁾ For e-STUDIO2525AC/3025AC/3525AC/4525AC

⁽²⁾ Fore-STUDIO5525AC/6525AC

¹ GB = 1 billion bytes; the actual formatted capacity is less. Available capacity will also be less if software applications are pre-installed.

Optional

About Toshiba Tec UK

To shiba Tec UK Imaging Systems Ltd is part of the globally operating To shiba Tec Corporation, active in various high-tech industrial sectors.

Toshiba Tec Corporation is a leading provider of information technology, operating across multiple industries. With headquarters in Japan and over 80 subsidiaries worldwide, Toshiba Tec Corporation helps organisations transform the way they create, record, share, manage and display information.

For more information please contact us:

Toshiba Tec UK Imaging Systems Ltd.

Abbey Cloisters, Abbey Green, Chertsey, Surrey KT168RB

Telephone

+44 (0)843 2244944

Emai

info@toshibatec.co.uk

Website

www.toshibatec.co.uk